



| | |
|-----------------------------|------------|
| 10" Showerhead | CASH10-RD |
| Round 16" wall arm | CASA16-RD |
| Vertical Thermostatic Rough | CALVRV-1 |
| Round Thermostatic trim | CALVTV-RD |
| Round Tub spout | CASPOUT-RD |



- Showerhead flow rate: 8.5L/min @60psi
- Valve flow rate: 45L/min @ 60psi
- 1/2" inlet
- Individual & Dual Functions




AVAILABLE FINISHES

PC  CHROME





MB  MATTE BLACK




Round 10" showerhead
Anti-Calcium Nipples
Flow rate: 8.5L/min





AVAILABLE FINISHES

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL




AVAILABLE FINISHES

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL




AVAILABLE FINISHES

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL



FEATURES




- 1/2" Thermostatic trim
- 2 way diverter and dual function
- Requires Rough-in Valve CALVRV-1



AVAILABLE FINISHES

PC  CHROME

MB  MATTE BLACK



- Thermostatic Cartridge: P0000000446
- Diverter Cartridge: P0000305006