



10" Showerhead	CASH10-SQ
Square 8" Ceiling arm	CASAC8-SQ
Horizontal Thermostatic Rough	CALVRH-1
Square Thermostatic trim	CALVTH-SQ
Square Tub spout	CASPOUT-SQ



- Showerhead flow rate: 8.5L/min @60psi
- Valve flow rate: 45L/min @ 60psi
- 1/2" inlet
- Individual & Dual Functions




AVAILABLE FINISHES

PC  CHROME

MB  MATTE BLACK




Square 10" showerhead
Ultra-thin design
Anti-Calcium Nipples
Flow rate: 8.5L/min




AVAILABLE FINISHES

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL




FEATURES

- Material: 304 Stainless Steel
- Available in 4", 8" & 12" lengths
- Spout thickness: 0.8mm
- Connector: 1/2NPT female adapter to wall



AVAILABLE FINISHES

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL




AVAILABLE FINISHES

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL

FEATURES






- 1/2" Thermostatic trim
- 2 way diverter and dual function
- Requires Rough-in Valve CALVRH-1



AVAILABLE FINISHES

PC  CHROME

MB  MATTE BLACK



- Thermostatic Cartridge: P0000000446
- Diverter Cartridge: P0000305006