



10" Showerhead	CASH10-SQ
Square 16" wall arm	CASA16-SQ
Horizontal Thermostatic Rough	CALVRH-1
Square Thermostatic trim	CALVTH-SQ
Square Tub spout	CASPOUT-SQ



- Showerhead flow rate: 8.5L/min @60psi
- Valve flow rate: 45L/min @ 60psi
- 1/2" inlet
- Individual & Dual Functions




**AVAILABLE FINISHES**

PC  CHROME

MB  MATTE BLACK



Square 10" showerhead  
Ultra-thin design  
Anti-Calcium Nipples  
Flow rate: 8.5L/min




**AVAILABLE FINISHES**

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL



**AVAILABLE FINISHES**

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL




**AVAILABLE FINISHES**

- PC  CHROME
- MB  MATTE BLACK
- BG  BRUSHED GOLD
- BN  BRUSHED NICKEL

**FEATURES**




- 1/2" Thermostatic trim
- 2 way diverter and dual function
- Requires Rough-in Valve CALVRH-1



**AVAILABLE FINISHES**

PC  CHROME

MB  MATTE BLACK



- Thermostatic Cartridge: P000000446
- Diverter Cartridge: P0000305006